

Hospital Bed HB 4010



HB 4010

Hospital bed for acute care

The multifunctional HB 4010 hospital bed with easy-care plastic components impresses with its high flexibility, excellent mobility and intuitive operation. The homogeneous plastic surfaces allow quick and easy preparation and optimum handling.



Features:

- Automatic chair position
- Trendelenburg/ Reverse-Trendelenburg position
- Split side rails with one-handed operation
- Integrated bed extension
- Wall bumper surrounding the bed
- CPR emergency lowering
- Angle displays for back rest and sleeping surface
- Accessory holders for lifting poles and IV drip holder
- Central brake with directional locking



With a secure working load of 250kg and modern control technology, the hospital bed HB 4010 is a solid standard for inpatient care in acute hospitals.

The hygienic plastic side rail with one-hand operation has an optional integrated operating panel with control options for patients and carers.

For more flexibility, a bed extension is integrated as standard in the hospital bed HB 4010, which allows the sleeping surface to be extended to 230cm.



Integrated bed extension



Features and options

Available functions	HB 4010
Automatic chair position	•
Fowler's position	•
Trendelenburg / Reverse-Trendelenburg position	•
Hand controller	•
Operating panel integrated in side rails	◦
Foot operation	◦
Electrical CPR emergency lowering	•
Mechanical CPR in back rest	•
Back rest mattress compensation	•
Integrated bed extension 10/20/30 cm	•
Care staff control console	•
Central brake with fixed direction	•
Plastic side rails with one-handed operation	•
Fifth castor	◦
Brake alarm system	◦
Angle displays for back rest	•
ABS sleeping surface	•
Tool-free removable head/foot boards	•
Under bed lighting	◦

Specifications

Specifications	HB 4010
Sleeping surface	90 x 200 cm
Outer dimensions	99 x 218 cm
Safe working load	250 kg
Height adjustment	36-82 cm
Back rest adjustment	0-71°
Thigh rest adjustment	0-33°
Trendelenburg / reverse Trendelenburg position	16° / 19°
Auto-regression	12 cm
Under bed clearance	155 mm
Twin castors Ø	150 mm
Total weight without accessories	approx. 150 kg

• Standard ◦ Optional

Malsch GmbH

Rohbergstr. 9 | D-36208 Wildeck, Germany

Tel.: +49 (0) 6626 915-100

Fax: +49 (0) 6626 915-116

E-mail: info@bettenmalsch.de

bettenmalsch.com

