

Hospital Bed HB 4010



HB 4010

Hospital beds for acute care

The multi-functional acute hospital bed HB 4010 with easy-care plastic components offer a high degree of flexibility, outstanding mobility and intuitive operation. The homogeneous nature of the plastic surfaces means that they can quickly and easily be prepared.



With a secure working load of 250kg and modern control technology, the HB 4010 is a solid standard for inpatient care in acute hospitals.

The hygienic plastic side rail with one-hand operation has an optional integrated operating panel with control options for patients and carers.

For more flexibility, a bed extension is integrated as standard in the HB 4010, which allows the sleeping surface to be extended to 220 cm.

Features:

- Integrated bed extension
- Automatic chair position
- Trendelenburg/reverse-Trendelenburg position
- Side rails with one-handed operation (optional)
- Wall bumper surrounding the bed
- CPR emergency lowering
- Angle displays for back rest and sleeping surface
- Accessory holders for lifting poles and IV drip holder
- Central brake with directional locking
- Foot brake 2x with colour coding



Features and options

Available functions	HB 4010
Automatic chair position	•
Fowler's position	•
Trendelenburg/ reverse Trendelenburg position	•
Operating panel integrated in side rails	◦
Electrical CPR emergency lowering	•
Mechanical CPR in back rest	•
Back rest mattress compensation	•
Integrated bed extension to 20 cm	•
Radiolucent back rest	◦
Care staff control console	•
Central brake with control function	•
Plastic side rails with one-handed operation	◦
Fifth castor	◦
Brake alarm system	◦
Angle displays for back rest and sleeping surface	•
ABS sleeping surface	•
Tool-free removable head/foot boards	•

Specifications

Specifications	HB 4010
Sleeping surface	90×200 cm
Outer dimensions	105×220 cm
Safe working load	250 kg
Height adjustment	40-80 cm
Back rest adjustment	0-73°
Thigh rest adjustment	0-33°
Trendelenburg/ reverse Trendelenburg position	16°/19°
Double auto-regression	80 cm
Under bed clearance	185 mm
Single castors Ø	150 mm
Total weight without accessories	150 kg

• Standard ◦ Optional

Malsch GmbH

Rohbergstr. 9 | D-36208 Wildeck, Germany

Tel.: +49 (0) 6626 915-100

Fax: +49 (0) 6626 915-116

E-mail: info@bettenmalsch.de

bettenmalsch.com

